



THE ISRAELI PEOPLE'S COMMITTEE

ועדת החקירה האזרחית

هيئة التحقيق المدني

The Israeli People's Committee Report of Adverse Events Related to the Corona Vaccine, May 2021: Never has a vaccine injured so many

We hereby clarify that The Israeli People's Committee is an independent organization relying on publicly available information from official publications, social networks and especially from many reports coming directly from individuals to our website. The information has been checked by members of the committee to avoid false, refuted, and erroneous data. However, the report should not be relied upon for medical or other purposes, and it certainly does not contain any medical recommendation. Anyone who considers it as such, does so of his own accord.

We have chosen to open this important report with a summary, immediately followed by the report itself.

Events Reported By Year Reported

Year Reported




Diagram 1 – distribution of reports brought to our attention and included in our database





Table 6 – Post-vaccine adverse events recorded in our database, divided into categories

Category	Sub-Category	Number of complaints	Percent of total
Death	Sudden death	183	
	Death from cardiac arrest / heart attack	91	
	Death from stroke	18	
	Death from covid-19 after vaccination	15	
	Death from multi-system failure	8	
	Death from another reason	15	
		330	14.1%

Malignancy	Cancer – general Lymph node malignancy Exacerbation of oncological condition	7	
		5	
		4	
		16	0.7%
Autoimmune	Autoimmune Disease Lupus	12	
		2	
		14	0.6%
Infectious	Bacterial infection CMV AIDS	4	
		3	
		1	
		8	0.3%

MILLIONS are seriously injured or dead from covid vaccines - EU database

07/15/2021 / By Ethan Huff



The latest data from EudraVigilance, a European Union database similar to VAERS (Vaccine Adverse Event Reporting System), shows that nearly 20,000 people have died from Wuhan coronavirus (Covid-19) “vaccines” in the areas of Europe it assesses, along with nearly two million people who have been seriously injured by the injections.

EudraVigilance covers 27 of Europe’s 50 countries, which suggests that the true figures across the continent could be as high as 40,000 deaths and four million serious injuries. This is substantial, considering far fewer people are getting sick or dying from the Chinese Virus itself.

“Seriousness provides information on the suspected undesirable effect; it can be classified as ‘serious’ if it corresponds to a medical occurrence that results in death, is life-threatening, requires inpatient hospitalisation, results in another medically important condition, or prolongation of existing hospitalisation, results in persistent or significant disability or incapacity, or is a congenital anomaly / birth defect,” the database explains about how injuries are measured.

The latest figures are much higher than [earlier ones](#) we reported on back in May, which reported about 10,000 deaths and 400,000 injuries.

So many people are getting injured or dying from Fauci Flu shots that reports indicate there is widespread vaccine regret across Europe and North America. People who lined up to “flatten the curve” through injection are saying they wish they would have listened to real scientists as opposed to television phonies like Tony Fauci.

There is also a trend of family doctors refusing to see their covid vaccine-injured patients because they do not know what to do for them. Such reports are coming out of both Scotland and England.

“My vaccinated friends are not getting appointments with their family doctors who are avoiding them post vaccination even although there are no patients in the GP surgery waiting rooms when they have tried to get appointments,” one person reported.

“It is utterly cruel given they talked them into getting the vaccinations and accepted 10 U.K. pounds from the Scottish and English governments per person vaccinated on their patient list and did not disclose the risk of these vaccinations to the patients.”

Doctors now refusing to see vaccine-injured patients

Another person in Europe who was supposed to get a surgery was refused by her GP (general practitioner). Nurses also refused to take blood draws because they say

Published by the National Vaccine Information Center

The Vaccine Reaction

An enlightened conversation about vaccination, health and autonomy

FRONT PAGE

ABOUT US

VACCINATION

HEALTH

ETHICS

MEDICINE

LAW

MEDIA

BUSINESS

"You may choose to look the other way, but you can never say again that you did not know."

Home » Vaccination » Risk & Failure Reports » More Deaths Reported to VAERS Following COVID-19 Vaccinations Than for Any Other Vaccine

More Deaths Reported to VAERS Following COVID-19 Vaccinations Than for Any Other Vaccine

by Barbara Loe Fisher

Published July 11, 2021 | Vaccination, Risk & Failure Reports

Last week, the U.S. Centers for Disease Control and Prevention (CDC) released data containing reports of health problems, including deaths, following receipt of federally recommended vaccines that have been filed with the federal Vaccine Adverse Event Reporting System (VAERS).^{1 2} The latest release of VAERS data included descriptions of 438,441 adverse event reports following COVID-19 vaccinations, including 9,048 deaths³ that occurred after adults and children 12 years of age and older received experimental COVID-19 vaccines developed and manufactured by Pfizer/BioNTech, Moderna/NIAID, and Johnson & Johnson/Janssen that are being distributed under a special Emergency Use Authorization (EUA) granted by the U.S. Food and Drug Administration (FDA)^{4 5} pending licensure of the vaccines.


There have been more deaths reported to VAERS following COVID-19 vaccinations than for any other federally recommended vaccine since VAERS became operational in 1990.⁶

August 2, 2021

 Print This Post

20,595 DEAD 1.9 Million Injured (50% SERIOUS) Reported in European Union's Database of Adverse Drug Reactions for COVID-19 Shots

Total Views : 14,286





The banner features a blue header with the European Union flag and the text "EudraVigilance - European database of suspected adverse drug reaction reports". Below this, a white box contains text about the European Medicines Agency's transparency. The main body is black with white text listing COVID-19 vaccine adverse reactions. At the bottom, logos for the European Medicines Agency and EudraVigilance are displayed.

EudraVigilance - European database of suspected adverse drug reaction reports

The European Medicines Agency publishes these data so that its stakeholders, including the general public, can access information that European regulatory authorities use to review the safety of a medicine or active substance. **Transparency** is a key guiding principle of the Agency.

COVID-19 Vaccine Adverse Drug Reactions
20,525 DEAD
1,960,607 Injuries Through July 31, 2021
COVID-19 MRNA VACCINE MODERNA (CX-024414)
COVID-19 MRNA VACCINE PFIZER-BIONTECH
COVID-19 VACCINE ASTRAZENECA (CHADOX1 NCOV-19)
COVID-19 VACCINE JANSSEN (AD26.COV2.S)

 **EUROPEAN MEDICINES AGENCY**
SCIENCE MEDICINES HEALTH

EudraVigilance 

by **Brian Shilhavy**
Editor, Health Impact News

The European Union database of suspected drug reaction reports is [EudraVigilance](https://eudra.europa.eu/eudra/#!home), and they are now reporting 20,595 fatalities, and 1,960,607 injuries, following COVID-19 injections.

A *Health Impact News* subscriber from Europe reminded us that this database maintained at EudraVigilance is only for countries in Europe who are part of the European Union (EU), which comprises 27 countries.

The total number of countries in Europe is much higher, almost twice as many, numbering around 50. (There are some differences of opinion as to which countries are technically part of Europe.)

So as high as these numbers are, they do NOT reflect all of Europe. The actual number in Europe who are reported



La vaccination Covid à l'épreuve des faits. Deuxième partie : une mortalité inédite

La pharmacovigilance des vaccins anti-covid est déniée car elle menace l'idéologie de la vaccination intégrale portée par les industries pharmaceutiques, les gouvernements et les principaux médias. Cette vaccination de masse conduit pourtant à une mortalité inédite dans l'histoire de la médecine moderne. Il y a urgence à la suspendre pour évaluer la balance bénéfice/risque au cas par cas.

arch

Bloomberg

Prognosis

Israel Finds Probable Link Between Pfizer Shot, Myocarditis

By Alisa Odenheimer

June 2, 2021, 9:39 AM GMT+2 *Updated on June 2, 2021, 3:52 PM GMT+2*

Israel health officials have found a probable link between Pfizer Inc. and BioNTech SE's coronavirus vaccine and dozens of cases of heart inflammation in young men following the second dose of the vaccine, the Health Ministry said late Tuesday.

Symptoms

If you have a mild case of myocarditis or are in the early stages, you might have no symptoms or mild ones, such as chest pain or shortness of breath.

In serious cases, the signs and symptoms of myocarditis vary, depending on the cause of the disease. Common myocarditis signs and symptoms include:

- Chest pain
- Rapid or abnormal heart rhythms (arrhythmias)
- Shortness of breath, at rest or during physical activity
- Fluid retention with swelling of your legs, ankles and feet
- Fatigue
- Other signs and symptoms of a viral infection, such as a headache, body aches, joint pain, fever, a sore throat or diarrhea

2 August 2021

Dear Doctor, Health Professionals and Fellow Australians,

FROM YOUR FELLOW AUSTRALIAN DOCTORS AND HEALTH PROFESSIONALS
PRIMUM NON NOCERE -- FIRST, DO NO HARM

We, your fellow doctors, write to you motivated only by our concern for the welfare of our patients and the health of our community.

Every doctor, like any individual, must answer to their own conscience. Doctors in particular must answer to an Oath, the swearing in of which has fallen away, yet not without leaving its spirit alive. This oath was, and is, founded upon “primum non nocere” or “first do no harm”.

And so this letter is aimed at reminding all doctors of our ethical obligations and to furnish our consciences with information so that none can claim “I did not know” or “I was wrongly advised” or “I was just following orders”.

The people of Australia face unprecedented, pervasive and coercive “States of Emergency” with severe restrictions to liberty and widespread impacts on health, life and livelihoods. “Flattening the curve” for a few weeks has become 18 months of fear, anxiety and control. Much of it unnecessarily contrived through sensationalist media, failed political leadership that has abrogated its responsibilities to academic and health bureaucrats who appear far removed from the realities and sufferings of ordinary Australians.

In early 2020, the Australian government, following the example of other countries, and the sudden about-turn of the World Health Organisation (WHO), abandoned long-established and existing pandemic guidelines in favour of enforced lockdowns, mask mandates, mass-testing, digital surveillance, border closures and the quarantining of the healthy. This approach was novel, untested and unprecedented.

We have had multiple on-again/off-again lockdowns, mask “mandates”, the coercion and mandating of novel and unproven vaccine technology, invasions to privacy in the forms of QR check-in codes and severe economic stress. In the reckless pursuit of the mirage of an unattainable ‘Covid Zero’ state, 400 Australians die every day from all causes. These Australians are dying within a grossly disrupted health care system and while their loved ones are inhumanely denied the opportunity to properly mourn them.

Whilst in 2021 to the 23rd of July, we had five registered deaths attributed to Covid 19.

Put simply, we have focussed on one disease to the exclusion of all others. This global public health experiment has clearly failed, having caused untold harm to literally billions of people.

A return to long established, evidenced-based pandemic preparedness guidelines must now be urgently sought.

Some Useful Documents: 1. [A Protocol for Re-opening Society](#) 2. [A Critical Analysis of the Covid Response](#) 3. [Responding to Covid: Public Health or Public Harm?](#)

LOCKDOWNS

The collateral damage from lockdowns is clear; significant harm is being inflicted upon humanity, and devastating health and wellbeing across the globe. Vulnerable and disadvantaged communities, and especially children, are paying the highest price. Evidence suggests lockdowns have not reduced mortality from COVID-19, and they provide little benefit over less restrictive measures. In addition, there are grave concerns lockdowns may ultimately result in a longer and more lethal pandemic, with many unforeseen and unintended health consequences.

CASES AND PCR TESTS

Every medical student is taught that clinical diagnosis is founded upon three unshakable tenets. History, Examination, Investigation in that order of hierarchical importance. With the unprecedented utilisation of PCR based diagnosis in the interest of public health and mass screening, the doctor and the issue of symptomatology has been dangerously removed from the diagnostic process.

We now have a situation where an infection has been defined as a positive result on PCR and is now 'formally' defined as a 'case'. This is not good medicine. Both the DHHS and the Department of Health have acknowledged in writing that PCR tests 'cannot distinguish between "live" and uninfected RNA' and may 'not be a predictor of infectivity'.

PCR has been demonstrated to be inadequate as a measure of illness severity and infectivity and so is not fit for purpose. Excessive Amplification Cycles of 37 - 45 have been used routinely, guaranteeing many possible clinically false positive results.

Many senior data scientists have also raised concerns about the unscientific nature of reporting 'cases' without reference to testing numbers to guide to public policy, rather than case positivity.

We call upon doctors to inform themselves more fully and reject the flawed data and overly severe policies driven by forensic PCR technology.

MORTALITY RISK

SARS COV-2 is of course a real virus which has caused many deaths worldwide. How many deaths is difficult to calculate as 'covid deaths' have often been defined as 'a death with a positive PCR Test' rather than as a result of the recognised disease process and illness caused by the SARS-CoV-2 virus.

However, we all know that multiple co-morbidities are involved 94% of the time (CDC -- [CDC: 94% of Covid-19 deaths had underlying medical conditions | WEYI \(nbc25news.com\)](#)) Thus it is more than likely the 3.8 million deaths are an overestimate. Overwhelmingly these deaths have been in the frail elderly and others with serious pre-existing illness, often in populations where the average age of death with/from covid exceeds that of the average life expectancy. That said, estimates of the infectious fatality rate (IFR) cluster around 0.15-0.2% overall, which is similar to the IFR of influenza, and 0.05% for those <70 years. The risk to children is very low, less than for influenza, and the risk to adolescents and young adults is 4 orders of magnitude lower than the elderly and so do not justify any restrictions applied across the population. We endorse the recommendations embodied in the [Great Barrington Declaration](#).

We call for doctors to restore a sense of proportion to the dialogue.

'Deaths from All Causes' data from Euromomo in Copenhagen reveals that there has been no pandemic of excess deaths in all of Europe (including the UK) in 2020 or in 2021 beyond what is often seen in a bad Influenza year.

Euromomo Graphs: [Graphs and maps — EUROMOMO](#) and [EUROMOMO](#)

E-mail: admin@covidmedicalnetwork.com

www.covidmedicalnetwork.com

RESTRICTIONS

Restrictions on our liberties (lockdowns, border controls etc) have been used as an article of faith in the absence of empirical evidence of benefit. Evidence to date from multiple global comparisons supports the conclusion that there is a lack of relationship between the stringency of restrictions and mortality. Indeed, if anything, restrictions appear more harmful than helpful with delayed medical care resulting in many deaths, increased morbidity and adverse psychological impact. World renowned epidemiologist, Prof John Ioannidis of Stanford University has described lockdowns as 'pro-contagion'.

We find it unethical and anti-scientific to support the punitive policies of Australian governments both state and federal, and call for an immediate and permanent end to lockdowns in all its forms and all 'states of emergency' in peacetime.

MASKS

Pre-existing WHO guidelines state that there is *no evidence* that face masks are effective in reducing transmission. Cloth masks were *not* recommended under any circumstances. However, the [evidence of harm](#) caused by long term use is well-recognised and well-evidenced. The increasing evidence of harm to children is also of grave concern. N95, surgical or cloth masks were never designed, nor are capable of, stopping or reducing viral transmission.

Without any new evidence, and under politic pressure, the WHO changed its guidelines to allow governments to enforce mask mandates on its populations. However, it continues to acknowledge that there is *limited evidence* to support the use of face masks by healthy people in the community.

Much of the claimed 'evidence' prompting this policy change comes from computer simulations, laboratory studies, or observational studies, which lack the rigour of randomised controlled trials (RCT). However, the recent RCT 'Danmask-19 trial' by Bundgaard et al, found *no statistically significant difference* in rates of infection with SARS-CoV-2, between those who wore masks and those who did not in the community. More information and evidence about mask effectiveness and safety can be found at our [website](#).

EARLY TREATMENTS

There is abundant evidence supporting the use of anti-viral therapies, such as Ivermectin in combination therapies with other agents including Zinc, Doxycycline, Azithromycin and Vitamin D3, as both a relatively safe prophylactic and early treatment for Covid illness. Aspirin, inhaled and oral steroids have also shown to be beneficial.

Other agents being used in more difficult cases include Montelukast, Anti-coagulants, Maraviroc (a CCR5 Antagonist), Statins and Fluvoxamine. We believe doctors have an obligation to be informed of this and to offer such choices as preventative or early treatment alternatives to their patients.

"In summary, based on the totality of the trials and epidemiologic evidence presented in this review along with the preliminary findings of the Unitaid/WHO meta-analysis of treatment RCTs and the guideline recommendation from the international BIRD conference, ivermectin should be globally and systematically deployed in the prevention and treatment of COVID-19." Ref: American Journal of Therapeutics May/June 2021.

https://journals.lww.com/americantherapeutics/Fulltext/2021/08000/Ivermectin_for_Prevention_and_Treatment_of.7.aspx

The Federal Health Minister Greg Hunt MP and other senior federal politicians have acknowledged and even encouraged 'off-label' prescribing of some peer-reviewed and well-evidenced early treatments for

E-mail: admin@covidmedicalnetwork.com
www.covidmedicalnetwork.com

Covid, such as Ivermectin, recognising it as a lawful and common practice within the doctor-patient relationship. <https://spectator.com.au/2021/07/hunt-goes-off-script-with-ivermectin/>

A [brief overview](#) of the latest peer-reviewed literature and informative websites:

The recommendations of the TGA and the Australian National Covid-19 Clinical Evidence Taskforce can be found [here](#) and [here](#).

THE VACCINE TECHNOLOGIES

The issue of Covid Vaccines is a controversial and sensitive one. The Covid Medical Network is NOT 'anti-vax'. We acknowledge vaccination may curb the pandemic and is aimed at reducing hospitalisation and death from SARS-CoV-2 virus. However, we believe, in the interests of transparency and for the sake of individual patient care, doctors should be aware of some important, yet lesser-known issues. We are concerned that many members of the public and some medical colleagues seem unaware of some basic facts concerning the current Covid vaccines.

Only provisional approval for 2 years has been granted by the TGA, for both available covid vaccines, as they are considered investigational. Similarly, in the USA, due to incomplete efficacy and safety data, the available gene-based (mRNA and DNA) vaccines have only been made available by the FDA under Emergency Use Authorisation legislation. The TGA Deputy Secretary, Professor John Skerritt, and Minister for Health Greg Hunt have both made public statements that this vaccine rollout is a clinical trial (effectively an experiment) that will conclude in 2022.

Both available vaccines in Australia are totally new gene-based, nucleic acid (mRNA and DNA) vaccines and viral vector vaccines.

The mRNA vaccine technology, using Lipid Nano-Particles (LNPs), has never previously been used on humans. Both vaccines carry genetic instructions for the host's cells to make antigen to induce an immune response.

Due to the unprecedented 'rush to market' via Emergency Authorisation Usage in the USA, doctors should be aware of the deficiency of many of the established standards for vaccine development which have been bypassed. Of particular concern being the absence of completed Developmental and Reproductive Toxicity (DART) studies. Neither were genotoxicity nor carcinogenicity studies performed. There is also an absence of long-term safety data.

Concerns about biodistribution are also now being raised about both the 'produced' Spike Protein and LNP components of the vaccines. Evidence of their delivery and expression systemically, beyond the injection site, is now available, including the unexpected accumulation of LNPs in the ovaries as revealed in the Japanese Ministry of Health animal studies, as well as studies revealing spike protein biodistribution concerns among health workers from Harvard's Brigham Women's hospital. Both findings raise significant concerns about future fertility issues for young people.

Concerns have also been raised that the induced Spike Protein itself can act as a pathogen independent of the virus, as has been revealed in the Salk Institute study, entitled: [*COVID-19 is a Vascular Disease: Coronavirus' Spike Protein Attacks Vascular System on a Cellular Level.*](#)

Doctors, their patients and the general public should also be made more aware of the concerning and unprecedented 'safety signals' being raised through official reporting systems both in Australia and around the world. For example, the adverse events and deaths following vaccination that have been reported to the TGA. Currently 377 deaths and 39,077 adverse events have been reported. Although this does not prove

causation, the comparison with previous incident reporting experience and comparative reporting systems raises grave concerns.

<https://www.tga.gov.au/periodic/covid-19-vaccine-weekly-safety-report-15-07-2021>

The issue of the claimed ‘efficacy’ from initial studies has also been criticised regarding the use of Relative Risk Reduction (“95%”) instead of the more useful and appropriate Absolute Risk Reduction (0.7 % - 1.1 %). This critical issue is important in properly estimating efficacy and risk/benefit analysis for particular demographics. These articles may be of help on this issue:

[COVID-19 vaccine efficacy and effectiveness—the elephant \(not\) in the room](https://pubmed.ncbi.nlm.nih.gov/33652582/)

<https://pubmed.ncbi.nlm.nih.gov/33652582/>

INFORMED CONSENT

Doctors have a legal obligation to inform patients of the important, ‘material’ risks involved in any proposed procedure or treatment. In keeping with the principle of shared-decision making and the NHMRC’s informed consent guidelines, and the Australian Vaccination Handbook Guidelines, it is the opinion of the Covid Medical Network that informed consent cannot be said to have been granted if the doctor has not informed the patient (a) that they are a trial participant (b) that effective preventive and early treatment therapies exist, (c) that there are a wide range of possible adverse effects including death (d) that people below 70 years are a low risk of death from the virus and (e) that breakthrough infection and transmission is possible.

We also believe that the conditions of free and informed consent are not being met if the patient is under duress regarding their employment or freedom to travel.

Patients should be made aware of the adverse events and deaths following vaccination that have been reported to the TGA. Currently 377 deaths and 39,077 adverse events have been reported.

<https://www.tga.gov.au/periodic/covid-19-vaccine-weekly-safety-report-15-07-2021>

We believe any medical therapy, including vaccination, should not be mandatory, consistent with the right to bodily integrity as recognised by Universal Declaration of Human Rights as well as other national and international human rights documents and covenants.

PROFESSIONAL AUTONOMY AND THE DOCTOR PATIENT RELATIONSHIP

The government has decided it is the best arbiter of what information you are provided access to and has threatened practitioners with disciplinary action should they offer any critique against the government’s public health responses, including the vaccine rollout. They have also been inhibited in discussing and recommending early treatment alternatives such as Hydroxychloroquine and Ivermectin, even risking jail for 6 months in Queensland for transgressing such draconian directives and legislation.

We of the Covid Medical Network believe it is the duty of doctors to advocate for their own professional Doctor - Patient relationship and stand against undue government interference in the consulting room.

Doctors who fail to do this risk placing their patients’ needs secondary to the interests of the State, thereby risking damage to our noble profession as a source of independent, considered and fair advice.

E-mail: admin@covidmedicalnetwork.com
www.covidmedicalnetwork.com

We thank you for your consideration of these important matters and urge you to join with us in returning our nation to rationality and excellence in medical care.

To access regular updates: [The Covid Medical News Network](https://www.covidmedicalnetwork.com/)

For more information and to receive updates please visit: <https://www.covidmedicalnetwork.com/>

To add your name as a signatory to this letter please email: admin@covidmedicalnetwork.com

Sincerely

Your Fellow Australian Doctors and Health Professionals

Appendix 1:

Vaccine Definitions:

The Pfizer vaccine contains single strand messenger RNA (mRNA) encoding the SARS-CoV- 2 spike protein antigen which, after administration, is delivered into host cells. The spike protein is subsequently expressed, stimulating neutralising antibody and cellular immune responses. See: Information for Healthcare Professionals on Pfizer BioNTech Covid-19 Vaccine', *Government of the United Kingdom, Medicines and Healthcare Products Regulatory Authority* (Web Page, 31 March 2021)

<https://www.gov.uk/government/publications/regulatory-approval-of-pfizer-biontech-vaccine-for-covid-19/information-for-healthcare-professionals-on-pfizerbiontech-covid-19-vaccine>

The AstraZeneca Vaccine (ChAdOx1, AZD1222) is a chimpanzee adenovirus which enters host cells but has been modified to prevent replication. It is a double strand DNA vaccine carrying a gene encoding the SARS Co-V-2 spike protein surface glycoprotein. The product contains genetically modified organisms. See: Australian Product Information Covid-19 Vaccine AstraZeneca, *Australian Government, Department of Health, Therapeutic Goods Administration* (Web Page) <https://www.tga.gov.au/sites/default/files/auspar-chadox1-s-covid-19-vaccine-astrazeneca-210215-pi.pdf>.