

July 23, 2021
2:47 PM CEST
Last Updated 6 days ago

Asia Pacific

Vaccinated people make up 75% of recent COVID-19 cases in Singapore, but few fall ill

4 minute read

Aradhana Aravindan, Chen Lin



RT

QUESTION MORE

LIVE

Covid-19 Freedom Index

News

USA

UK

Russia & FSU

Op-ed

Sport

Business

[Home](#) / [World News](#) /

'Cruise to nowhere' in Singapore cut short after vaccinated passenger tests positive for coronavirus, future voyage canceled

14 Jul, 2021 05:24

[Get short URL](#)





The “new outbreak” is among the vaccinated

July 27, 2021 | Categories: [Guest Contributions](#) | Tags: |  [Print This Article](#)

According to Dr. Jeremy McAnulty reporting on NSW Channel 9, [Australia](#), at the 6:36 mark in the video, of 141 Covid patients in hospital “all but one are vaccinated, one person has only received one dose of vaccine.” Unless Dr. McAnulty misspoke, the facts do not fit the propaganda.

If Dr. McAnulty did not misspeak, there seems to be conclusive evidence that the “new outbreak” is the direct result of vaccination. In other words, those hospitalized as Covid patients are suffering vaccine reactions.

<https://www.youtube.com/watch?v=46vq4Mn2DUQ>

Tale of two nations is a lesson on lockdowns: Australia faces fresh Covid crisis... but Sweden records less than one death a day, writes Professor ANGUS DALGLEISH

By [PROFESSOR ANGUS DALGLEISH FOR THE DAILY MAIL](#)

PUBLISHED: 22:01 BST, 3 August 2021 | **UPDATED:** 13:14 BST, 4 August 2021



Yet again the Covid pessimists have been proved wrong. These peddlers of doom predicted the near-complete easing of restrictions on July 19 would lead to a dramatic spike in infections, creating a public health disaster.

Neil Ferguson, aka 'Professor **Lockdown**' and the scaremonger-in-chief on the official Scientific Advisory Group for Emergencies (**Sage**), warned that the number of new daily cases could rise to 100,000 to 200,000. Thankfully this grim scenario has not materialised.

The number of new infections has maintained a steady and significant decline since Freedom Day, falling to 21,952 cases on Monday, the lowest daily figure for more than a month.

Nor has there been any surge in hospitalisations or deaths.



DON'T

► **Meghan** for first time
Lilibet's launches initiative
get back

► 'Three' was on
Michelle go a day
for three warned s
before

Breaking: Domestic Restrictions Reimposed in Iceland

○ Jelena Ćirić 📅 July 23, 2021 📁 Society, x News

A 200-person gathering limit, one-metre distancing, and restricted opening hours for bars and nightclubs will be reimposed in Iceland just four weeks after all domestic restrictions due to COVID-19 were lifted. The restrictions are based on recommendations from Chief Epidemiologist Þórólfur Guðnason and were decided on at a lengthy cabinet meeting today. At a briefing in Reykjavík yesterday, Þórólfur stated that COVID case numbers were rising at an exponential rate despite the country's high vaccination rates.

On June 26, Iceland lifted all domestic restrictions due to COVID-19, one year and four months after the very first social restrictions were imposed due to the pandemic. The country also loosened border restrictions on July 1, allowing travellers with proof of vaccination or previous infection to enter the country without testing or quarantine. Infection rates have risen over the past two weeks, and Iceland now reports 371 active cases, up from 60 cases just eight days ago.

Islanda, boom esponenziale di casi nell'isola dove TUTTI sono vaccinati: tornano coprifuoco e restrizioni.

L'epidemiologo Gudnason: "vaccini non funzionano come pensavamo, pandemia può durare 15 anni"

Il capo epidemiologo dell'Islanda Thorolfur Gudnason, a cui il Governo ha affidato la lotta alla pandemia, dispone nuove restrizioni: "i vaccini non funzionano come speravamo, sulla variante Delta perdono di efficacia e i vaccinati si contagiano e si ammalano. C'è il rischio di andare avanti così anche per 10-15 anni"

A cura di Peppe Caridi 30 Luglio 2021 17:42

L'**Islanda** è uno dei Paesi del mondo meno colpiti in assoluto dalla pandemia di **Covid-19**, grazie alla conformazione naturale del territorio: si tratta di un'isola molto lontana da altre aree abitate, con appena **350 mila abitanti** e con un sistema sanitario molto efficiente che ha consentito l'attuazione di test a tappeto per individuare i casi positivi e isolare i focolai sul nascere. Così in tutto il Paese dall'inizio della pandemia abbiamo avuto soltanto **7.801 casi positivi** e **30 morti**, con uno dei tassi di mortalità in assoluto più bassi al mondo.

L'arrivo del **vaccino** è stato poi accolto con grande speranza nel Paese che si è sempre contraddistinto per una forte fiducia nei confronti della scienza, con cui ha costanti relazioni per la necessità di adottare misure di prevenzione dai rischi naturali a cui l'isola è esposta (terremoti, eruzioni vulcaniche, inondazioni e tempeste meteorologiche). In poco tempo, quindi, **tutti gli abitanti islandesi vaccinabili sono stati vaccinati**: ad oggi il **78,48%** della popolazione ha ricevuto la prima dose, il **74,33%** la seconda. Considerando che le vaccinazioni non sono state autorizzate per bambini e ragazzi fino ai **16 anni** (che in Islanda sono circa 75.000), la **totalità degli islandesi con più di 16 anni ha ricevuto il vaccino anti-Covid**.

Fiduciose di aver risolto il problema, le autorità il **26 giugno** hanno revocato tutte le restrizioni anti-Covid, riaperto tutti i locali e dichiarato la fine dell'emergenza.

Adesso, però, in pochi giorni **la situazione è precipitata**. Dal 20 Luglio è iniziata una **nuova ondata** che in pochi giorni si è già rivelata **la più intensa dall'inizio della pandemia**.

Coronavirus in Israel: What do we know about the 143 hospitalized people?

Of the 143 hospitalized patients, 58% were vaccinated, 39% were not at all, and 3% were partially vaccinated.

By MAAYAN JAFFE-HOFFMAN JULY 21, 2021 19:06



Some 143 Israelis were hospitalized with COVID-19 as of Wednesday at 12 p.m., according to the Health Ministry. Fifty-eight percent of them were vaccinated, 39% were not and 3% were partially vaccinated, meaning they had taken one dose or a full week had not passed since their second shot.

Israeli internist reveals: “Vaccine efficiency is almost zero”

BY GREATREJECT · 20/07/2021

We remember the jubilant news: “Vaccination world champion Israel”. Israel was seen as a role model, especially by Western politicians. In the meantime, however, things have gone quiet around the supposed model country. No wonder: the results of the broad “through vaccination” of the population with the controversial, new spike protein injections are devastating. It is primarily the “vaccinated” who are infected with Corona. They end up in the hospital particularly often because of it, as one Israeli doctor notes.

- He says, “It seems that the efficacy of vaccination is close to zero.”
- Vaccinated people seem to get seriously ill more often.
- More than twice as many hospitalizations among Israelis with the spike protein injection.

Rafael Zioni posted Israel’s Corona statistics on his Twitter page. They are the official data from the Israeli Ministry of Health.

Dr. Zioni is an internist at Israel’s Laniado Hospital. He knows what he is talking about. Most Corona infections and associated hospitalizations in Israel affect vaccinated people. The broad vaccination coverage of the population naturally leaves fewer unvaccinated people. But these seem to survive Corona infections on average even better than those who have already received two doses of the Pfizer serum.

“These are Israeli data on the outbreak of infections among those vaccinated with two Pfizer doses. It seems that the efficiency is close to zero,” he **explains**.

TV: 14 Israelis who got 3rd shot later infected with COVID-19

Limited data not enough to draw conclusions on booster's effectiveness; ministers said to fight over potential lockdown, restriction exemption for shuls

By **TOI STAFF**

8 August 2021, 7:42 pm |



An elderly Israeli receives a third COVID-19 vaccine dose at a retirement residence in Jerusalem on August 4, 2021. (Yonatan Sindel/Flash90)

Fourteen Israelis have been diagnosed with COVID-19 despite having been inoculated with a third COVID-19 vaccine dose,



COVID: New restrictions set in - will Israel go into lockdown?

Starting August 8, the full green pass system will be in place again (from August 20 also for children under 12), masks will be mandatory in all outdoor gatherings.





[Home](#) | Israel News

In a World First, Bennett Announces Third COVID Jab Campaign for Israelis Over 60

'Call your parents and grandparents now and make sure they get the third shot,' Israel's prime minister told a televised press briefing, announcing President Herzog will get his COVID vaccine booster shot on Friday



Save



Zen Read





[Main](#) > [All News](#) > [Technology & Health](#) > **Natural infection vs vaccination: Which gives more protection?**



Natural infection vs vaccination: Which gives more protection?

Nearly 40% of new COVID patients were vaccinated – compared to just 1% who had been infected previously.

YOU KNOW?

OPINION PAGES

THE EXPOSE BLOG

WORLD NEWS

KEEP UP WITH

ABOUT US

WE NEED YOUR SUPPORT

5,522 people have died within 28 days of having a Covid-19 Vaccine in Scotland according to Public Health Scotland

BY DAILY EXPOSE ON JULY 18, 2021 • (124 COMMENTS)

Public Health Scotland have revealed that 5,522 people have died within twenty-eight days of having a Covid-19 vaccine within the past 6 months in Scotland alone.

UNITED KINGDOM · Published July 14

COVID-19 infects about 100 vaccinated crewmembers on HMS Queen Elizabeth: report

Cases were discovered during routine testing



EudraVigilance - European database of suspected adverse drug reaction reports

The European Medicines Agency publishes these data so that its stakeholders, including the general public, can access information that European regulatory authorities use to review the safety of a medicine or active substance. **Transparency** is a key guiding principle of the Agency.

COVID-19 Vaccine Adverse Drug Reactions 20,525 DEAD

1,960,607 Injuries Through July 31, 2021

COVID-19 MRNA VACCINE MODERNA (CX-024414)

COVID-19 MRNA VACCINE PFIZER-BIONTECH

COVID-19 VACCINE ASTRAZENECA (CHADOX1 NCOV-19)

COVID-19 VACCINE JANSSEN (AD26.COV2.S)




EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

EudraVigilance



Number of COVID-19 patients in hospital per million people, Aug 1, 2021

World



Source: Official data collated by Our World in Data

CC BY

▶ Jan 6, 2020 ○ Aug 1, 2021

CHART

MAP

TABLE


SOURCES

📄 DOWNLOAD



Number of COVID-19 patients in intensive care (ICU) per million people, Aug 1, 2021

World



Source: Official data collated by Our World in Data

CC BY



CHART

MAP

TABLE

SOURCES

DOWNLOAD



2084 COVID-19

Pfizer Effectiveness Plummets to 42%, Delta Strain Fatality Rate 0% for Those Under 50, Death, Hospitalization, and ICU Admission Higher Among Vaccinated (Mayo Study, Public Health England)

🕒 2 hours ago admin

Search ...

Recent P

Pfizer Effect
Strain Fatalit
Death, Hosp
Higher Am
Health Engla

CDC's Fortif
The Next Ste

Results

Preliminary data were collected from June 2006 through October 2009 on 715,000 patients, and 1.4 million doses (of 45 different vaccines) were given to 376,452 individuals. Of these doses, 35,570 possible reactions (2.6 percent of vaccinations) were identified. This is an average of 890 possible events, an average of 1.3 events per clinician, per month. These data were presented at the 2009 AMIA conference.

In addition, ESP:VAERS investigators participated on a panel to explore the perspective of clinicians, electronic health record (EHR) vendors, the pharmaceutical industry, and the FDA towards systems that use proactive, automated adverse event reporting.

Adverse events from drugs and vaccines are common, but underreported. Although 25% of ambulatory patients experience an adverse drug event, less than 0.3% of all adverse drug events and 1-13% of serious events are reported to the Food and Drug Administration (FDA). Likewise, fewer than 1% of vaccine adverse events are reported. Low reporting rates preclude or slow the identification of “problem” drugs and vaccines that endanger public health. New surveillance methods for drug and vaccine adverse effects are needed. Barriers to reporting include a lack of clinician awareness, uncertainty about when and what to report, as well as the burdens of reporting: reporting is not part of clinicians’ usual workflow, takes time, and is duplicative. Proactive, spontaneous, automated adverse event reporting imbedded within EHRs and other information systems has the potential to speed the identification of problems with new drugs and more careful quantification of the risks of older drugs.

Unfortunately, there was never an opportunity to perform system performance assessments because the necessary CDC contacts were no longer available and the CDC consultants responsible for receiving data were no longer responsive to our multiple requests to proceed with testing and evaluation.

The next Covid variant could kill up to one in THREE people: SAGE warns doomsday scenario is 'realistic possibility' and UK's vaccine roll-out may even speed up mutant strain's emergence

- SAGE today warns a future Covid mutant strain could be as deadly as MERS
- No10's expert panel say coronavirus mutates most when it is in high prevalence
- Group warns strains could become more resistant to vaccines and antivirals

By [JOE DAVIES FOR MAILONLINE](#)

PUBLISHED: 19:56 BST, 30 July 2021 | **UPDATED:** 13:31 BST, 31 July 2021



11k
shares

9.1k
View comments

A doomsday new Covid variant that could kill up to one in three people is a 'realistic possibility', according to the Government's top scientists.

Documents published by the Scientific Advisory Group for Emergencies ([SAGE](#)) today warned a future strain could be as deadly as MERS — which has a case fatality rate of 35 per cent — could be on the way.


No10's expert panel claimed the likelihood of the virus mutating is highest when it is most prevalent — as is currently the case in Britain.

And in a downside of Britain's hugely successful vaccination drive, the team warned the country's greater levels of immunity may help speed up the virus's evolutionary process.

Rolling out booster vaccines this winter and curbing transmission may help prevent a mutant strain occurring, according to the paper.

A

Radiation Syndromes (Acute and Delayed)

**B**

Extrapulmonary Symptoms of COVID-19 (SARS-CoV-2 infection)



CNS: headaches, dizziness, encephalopathy, ageusia, Guillain-Barré, myalgia, anosmia, stroke

Renal: acute kidney injury, proteinuria, hematuria

Liver: elevated aminotransferases, elevated bilirubin

Gastrointestinal: diarrhea, nausea, vomiting, abdominal pain, anorexia

Cardiac: myocardial injury/myocarditis, arrhythmia, cardiogenic shock, myocardial ischemia

Thromboembolism: deep vein thrombosis, pulmonary embolism, catheter-related thrombosis

Endocrine: hyperglycemia, diabetic ketoacidosis

Cutaneous: petechiae, erythematous, livedo reticularis, rash, urticaria, vesicles, pernio-like lesions

FIG. 1. Panel A: Schematic showing the human organ systems affected by radiation exposure and comprise both acute and delayed radiation syndromes (Published and modified with permission; licensed from ClipArt ETC: <https://bit.ly/3mHcyvG>). Panel B: A representative list of extrapulmonary symptoms observed in COVID-19 (SARS-CoV-2 infection) (353). Coronavirus image published and modified, with permission, from the University of Virginia School of Medicine (<https://at.virginia.edu/32MutJv>).

Vaccine-induced severe thrombotic thrombocytopenia following COVID-19 vaccination: a report of an autoptic case and review of the literature

D. FANNI¹, L. SABA², R. DEMONTIS³, C. GEROSA¹, A. CHIGHINE³, M. NIOI³, J.S. SURI⁴, A. RAVARINO¹, F. CAU⁵, D. BARCELLONA⁶, M.C. BOTTA⁵, M. PORCU², A. SCANO⁷, F. COGHE⁸, G. ORRÙ⁷, P. VAN EYKEN⁹, Y. GIBO¹⁰, G. LA NASA¹¹, E. D'ALOJA³, F. MARONGIU⁶, G. FAA^{1,12}

Pfizer jab won't be complete till
January 27th 2023

[https://clinicaltrials.gov/ct2/show
/NCT04368728](https://clinicaltrials.gov/ct2/show/NCT04368728)

The Moderna trials come to a close
on December 2023

[https://clinicaltrials.gov/ct2/show
/NCT03897881](https://clinicaltrials.gov/ct2/show/NCT03897881)

The AstraZeneca trials will reach
completion in February 2023

[https://clinicaltrials.gov/ct2/show
/NCT04516746](https://clinicaltrials.gov/ct2/show/NCT04516746)

for details. and our

ClinicalTrials.gov Identifier: NCT04368728



**PFIZER GETS TO DECIDE IF THEIR TRIAL
STUDY IS "SAFE" AND "SCIENTIFIC"**

DANIEL ESPARAZA HADLEY ANN HUFFMAN DESIREE PENROD ROB

Commitment Status : Recruiting